anovetor vitamina A

Antioxidant action

Active ingredients: Retinyl Palmitate.

Nanovetor Vitamin A is a retinyl palmitate-based product, encapsulated in lipid particles with particle diameter larger than 200nm. Encapsulation through the technology developed by Nanovetores allows its stabilization and promotes controlled release of the active ingredient for up to 8 hours. Due to its natural features and non-existent chemical aggression, Nanovetor Vitamin A can be used daily, providing in continuous applications, an antioxidant action and stimulation of collagen synthesis.



Features

Aspect: Milky liquid slightly yellow. Usage Concentration: up to 10% pH stability: 4.0 to 7.0 Solubility: Water Dispersible Particle: Lipid Release Trigger: Enzyme



Benefits

- Antioxidant Action
- Stimulates collagen synthesis
 Delays aging and softens fine
- wrinkles
- Keeps skin soft and smooth
- Inhibits the formation of blackheads, improving acne.





Usage

Gels, cream gels, creams, plastic masks, liquid soaps, shampoos and conditioners. Compatible with emulsions in general and non-ionic, anionic and cationic gels.

Description

Nanovetor Vitamin A is an encapsulated retinol palmitate-based supplement. The palmitate form has the same function and maintains the same basic characteristics of vitamin A, differing only by its chemical structure. In addition, it has the advantage of being more stable against oxygen, light and heat when compared to retinol and its other derivatives.

This active ingredient is an excellent antioxidant, combating free radicals, which are the main responsible for skin aging. It acts on maintaining the epithelial tissue, stimulating the production of collagen and elastin in the skin ⁽¹⁾. In addition to other benefits, it acts against hyperkeratinization and reduction of comedones, smoothing the signs of acne.

Regulatory Information

INCI NAME	CAS NUMBER
AQUA	7732-18-5
RETINYL PALMITATE	79-81-2
LINOLEIC ACID	60-33-3
OLEIC ACID	112-80-1
CAPRYLIC / CAPRYC	7732-18-5
TRIGLYCERIDE	//32-18-5
POLYSORBATE 80	9005-65-6
PPG-15 STEARYL ETHER	25231-21-4
STEARETH-2	9005-00-9
STEARETH-21	9005-00-9
PHENOXYETHANOL	122-99-6
CAPRYLYL GLYCOL	1117-86-8
BHT	128-37-0

Physical-chemical Information

PHYSICAL STATE	LIQUID
FORM	MILKY
COLOR	SLIGHTLY YELLOW
ODOR	CHARACTERISTIC
рН	5.5 TO 6.5
SOLUBILITY	WATER DISPERSIBLE
RELATIVE DENSITY	0.8 TO 1.1 g/ML
CHEMICAL IDENTITY	ORGANIC
CHARACTERIZATION	BLEND


*As it contains natural active ingredients, the product may change in color and odor. **As a suspension, shake before using.

VITAMIN A CONTENT: 100.000 UI/g



COMPATIBILITY: COMPATIBLE WITH EMULSIONS IN GENERAL AND NONIONIC, ANIONIC AND CATIONIC GELS.

Approved by International Regulations:





Australia - AICS Inventor



STORAGE: KEEP AT TEMPERATURE BETWEEN 20 AND 25 °C.




INCOMPATIBILITY: ETHANOL AND OTHER ORGANIC SOLVENTS.

References

1 - MANELA-AZULAY, M.; BAGATIN, E. Cosmeceuticalsvitamins. Clinics in Dermatology, v. 27, n. 5, p. 469-474, 2009.




Nanovetores Encapsulation Technology



Multifunctional Lipid Particles that promote hydration and extended effect.



Active Ingredient Protection against oxidation resulted from interaction with external environment and other components of the cosmetic formulation.




Monodispersity, that ensures control of the particle size, providing adequate permeation to its proposed action.




Secure particles larger than 200nm, biocompatible and biodegradable.




Enzymatic Specific Release Trigger, where enzymes present on the skin disintegrate particles, releasing the active ingredient specifically where it needs to act.





Greater Permeation on the contact surface due to the small size of the capsule.



Surface Charge Control of the particle, promoting greater affinity with the contact surface.



Water Base. Active ingredients are manufactured without the use of organic solvents, ensuring safety for users and the environment.

Use Encapsulated Active Ingredients and Ensure:

Stability Improvement	
	Use of sensitive active ingredients (without refrigeration)
Increased compability in the formulation	
	Increased Solubility
Occlusion of odors	Dual an and as large
Increased alvin permeation	Prolonged release
Increased skin permeation	Increased effectiveness
Reduced dose	

